

ToLEDo Vintage A160 BLACK DIMMABLE

ToLEDo Vintage A160 BL DIM 105LM 820 E27 SL

0029948



Product features

- New and innovative Flexible Filament Chip Technology (FFCT) designed to create the low-lit vintage effect.
- Ideal for hotels, restaurants, heritage lighting, bars and decorative applications.
- Low glare - suitable for low height installation.
- 2000K colour temperature, to create a cosy ambience.
- Black tinted glass envelope.
- 15,000 hours average rated life - last 7.5 times longer than incandescent vintage lamps.
- Unique filament construction design - 'Spiral' shape.
- Omni-directional light distribution - 300°.
- Low-lumen output to create low-lit effect - 105lm.
- More than 100,000X switching cycles.
- 3 years warranty.
- Environment friendly - no mercury and lower CO2 emissions.
- Dimmable on approved dimmers.



PRODUCT OVERVIEW

Product name	ToLEDo Vintage A160 BL DIM 105LM 820 E27 SL
Technology	LED
Watt (Rated) (W)	5.5
Cap/Base	E27
Fixture rating	Open
General application	Hospitality
ETIM Class	EC001959
E-number FI	4740760
Warranty	3 years
Useful luminous flux (Fuse)	105
Luminous flux (lm)	105
Correlated colour temperature (k)	2000
Light colour	Candlelight
CRI (Ra)	80
Beam Angle (°)	360
Power consumption (W)	5.5
Wattage (W)	5.5
Dimmable	Yes
Average life (Nominal) (h)	15000
Product EAN number	5410288299488

DATA TABLE

General data

Product name	ToLEDo Vintage A160 BL DIM 105LM 820 E27 SL
Technology	LED
Watt (Rated) (W)	5.5
Cap/Base	E27
Fixture rating	Open
General application	Hospitality
Performance ambient temperature Tq (°C)	25
ETIM Class	EC001959
E-number FI	4740760

ToLEDo Vintage A160 BLACK DIMMABLE

ToLEDo Vintage A160 BL DIM 105LM 820 E27 SL

0029948

Warranty 3 years

Optical data

Useful luminous flux (Fuse)	105
Luminous flux (lm)	105
Luminous flux (Rated) (lm)	105
Correlated colour temperature (k)	2000
Light colour	Candlelight
CRI (Ra)	80
Beam Angle (°)	360

Electrical data

Power consumption (W)	5.5
Wattage (W)	5.5
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	1
Lamp power factor	0.9
No. Of switching cycles before premature failures	>100000
Dimmable	Yes
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Nominal Product Length (mm)	290
Nominal Product Diameter (mm)	160
Weight (kg)	0.25

Packaging

Product EAN number	5410288299488
Packaging single length / height (cm)	31.8
Packaging single width (cm)	18.3
Packaging single depth (cm)	18.3
DUN14 (inner)	15410288299485
Units per outer package	2
Packaging outer length / height (cm)	38.2
Packaging outer width (cm)	22.3
Packaging outer depth (cm)	34.0

Safety data

Breakage cleaning instructions	Not applicable
Special purpose lamp	Yes
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	Not Suitable for totally enclosed fixtures



ToLEDo Vintage A160 BLACK DIMMABLE
ToLEDo Vintage A160 BL DIM 105LM 820 E27 SL
0029948

Safety message

Dimmable with approved dimmers