

V-ZUG Ltd

Industriestrasse 66, P.O.Box, 6302 Zug/Switzerland Phone +41 58 767 67 67 info@vzug.com, www.vzug.com

Brochure AdoraWash V2000





Selected product

Article no.: 1104100001EAN code: 7630029476802

- Type: AW2T-11041

- Product category: Washing machine

Front design: WhiteDoor design: WhiteDoor hinge: Right



Details AdoraWash V2000

Additional settings

- Degree of soiling / soaking
- Soak
- Refinement
- Hygiene recommendation
- Quick wash / end of programme

Compliant to regulation

- (EU) Nr. 2019/2017
- AS/NZS 2040.2:2012: No
- GB 12021.4-2013: No

Design

- Type: AW2T-11041
- Product category: Washing machine
- Front design: White
- Door design: White
- Door hinge: Right

Dimensions

- Appliance height: 850 mm
- Max. appliance height: 870 mm
- Appliance height for built-under installation: 850 mm
- Appliance width: 595 mm
- Appliance depth: 625 mm
- Depth of appliance when door is open: 1059 mm
- Appliance depth including distance to wall: 638 mm
- Door opening angle: 180 °
- Pumping height for drain pump: 1.2 m
- Empty weight: 64 kg

Display and operation

- Drum lighting
- Display: Full-colour graphic display
- Panel design: Acrylic glass
- Controls: TouchControl
- Remaining time display
- Number of languages in display: 9
- Languages in display: en, de, fr, it, es, ru, uk, tr, zh

Energy

- Measurement and Calculation Method: EN60456
- Noise emission class: A
- Output standby off: 0.15 W
- Output standby on: 1.8 W
- Consumption when off: 0 W
- Automatic shut-off consumption with network switched on: 1 W
- Energy efficiency class: A
- Energy consumption per cycle in the "eco 40-60" programme: 0.45 kWh
- Weighted energy consumption for 100 cycles: 45 kWh
- Weighted water consumption per cycle: 44 l
- Energy efficiency index: 49.1
- Light sources must be replaced by a professional
- Spin drying efficiency class: B
- Type of connection (1): 220-240 V~
- Frequency (1): 50 Hz
- Connected loads (1): 2.3 kW
- Fuse protection (1): 10 A
- Plug type: CH Typ 12
- Connection cable: 1.8 m
- Water pressure: 1-10 bar



Washing machine features

- Nominal capacity for the "eco 40-60" programme: 8.0 kg

- Build: Front loader

- Premium Swiss Quality

- Free-standing appliance, stackable

- House type: Single-family home

Nominal capacity: 8 kgDrum volume: 60 l

- Pivoting operating panel

- Aquastop

- Partial load automatic energy saving

- Vibration Absorbing System (VAS)

- Automatic door opener

- Technology: Conventional

Functions

- Favourites

- AquaPlus

- Sprint programme

- Wool

- Pre-wash

- Whites / coloureds 20 - 95°C

- Cold wash 20°C

- Hand wash 20°C

- Hand wash 30°C

- Easy care

- Childproof lock

Additional data

 (EU) No. 2019/2014 acoustic performance when spinning: 69.0 dB(A)

- Washing efficiency index: 1.035

- IP Number: IPX4

- Weighted residual moisture after washing: 52.4

- Spin speed at half the nominal capacity ("eco 40-60"): 1400.0 U/min

- Spin speed at nominal capacity ("eco 40-60"): 1400.0 U/

- Spin speed at one quarter of the nominal capacity ("eco 40-60"): 1400.0 U/min

- Rinsing cycle in the "eco 40-60" programme: 4.7 g/kg

 Highest temperature within the textiles at half the nominal capacity ("eco 40-60"): 31.0 °C

 Highest temperature within the textiles at nominal capacity ("eco 40-60"): 36.0 °C

 Highest temperature within the textiles at one quarter of the nominal capacity ("eco 40-60"): 24.0 °C

- Maximum spin speed: 1400 U/min

- Spin speed: 400 U/min

- Fleet circulation

- Pressure hose G 3/4: 1.5 m

Installation plateDrain hose: 1.5 m

- Feature level: 3

Service and interfaces

- V-Upgrade compatible

- Frequency range: 2,4 GHz

- WLAN as standard: 802.11 b/g/n

Warranty: 2 years

- V-ZUG-Home

- Interface: WLAN and Bluetooth