

ToLEDo Vintage G200 BLACK DIMMABLE


ToLEDo Vintage G200 BL DIM 105LM 820 E27 SL

0029946



Product features

- "New and innovative Flexible Filament Chip Technology (FFCT) designed to create the low-lit vintage effect Low glare - suitable for low height installation 2000K colour temperature, to create a cosy ambience Black tinted glass envelope 15,000 hours average rated life - last 7.5 times longer than incandescent vintage lamps Unique filament construction design - 'Spiral' shape Omni-directional light distribution - 300° Low-lumen output to create low-lit effect - 105lm More than 100,000X switching cycles 3 years warranty Environment friendly - no mercury and lower CO2 emissions Dimmable on approved dimmers Ideal for hotels, restaurants, heritage lighting, bars and decorative applications"



PRODUCT OVERVIEW

Product name	ToLEDo Vintage G200 BL DIM 105LM 820 E27 SL
Technology	LED
Watt (Rated) (W)	5.5
Cap/Base	E27
Fixture rating	Open
General application	Hospitality
ETIM Class	EC001959
E-number FI	4740759
Warranty	3 years
Useful luminous flux (Fuse)	105
Luminous flux (lm)	105
Correlated colour temperature (k)	2000
Light colour	Candlelight
CRI (Ra)	80
Beam Angle (°)	360
Power consumption (W)	5.5
Wattage (W)	5.5
Dimmable	Yes
Average life (Nominal) (h)	15000
Product EAN number	5410288299464

DATA TABLE

General data

Product name	ToLEDo Vintage G200 BL DIM 105LM 820 E27 SL
Technology	LED
Watt (Rated) (W)	5.5
Cap/Base	E27
Fixture rating	Open
General application	Hospitality
Performance ambient temperature Tq (°C)	25
ETIM Class	EC001959
E-number FI	4740759
Warranty	3 years

ToLEDo Vintage G200 BLACK DIMMABLE

ToLEDo Vintage G200 BL DIM 105LM 820 E27 SL

0029946

Optical data

Useful luminous flux (Fuse)	105
Luminous flux (lm)	105
Luminous flux (Rated) (lm)	105
Correlated colour temperature (k)	2000
Light colour	Candlelight
CRI (Ra)	80
Beam Angle (°)	360

Electrical data

Power consumption (W)	5.5
Wattage (W)	5.5
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	1
Lamp power factor	0.9
No. Of switching cycles before premature failures	>100000
Dimmable	Yes
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Nominal Product Length (mm)	283
Nominal Product Diameter (mm)	200
Weight (kg)	0.3

Packaging

Product EAN number	5410288299464
Packaging single length / height (cm)	31.8
Packaging single width (cm)	22.3
Packaging single depth (cm)	22.3
DUN14 (inner)	15410288299461
Units per outer package	2
Packaging outer length / height (cm)	49.7
Packaging outer width (cm)	27.2
Packaging outer depth (cm)	34.0

Safety data

Breakage cleaning instructions	Not applicable
Special purpose lamp	Yes
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	Not Suitable for totally enclosed fixtures
Safety message	Dimmable with approved dimmers



ToLEDo Vintage G200 BLACK DIMMABLE

ToLEDo Vintage G200 BL DIM 105LM 820 E27 SL

0029946
